



MOUNTS CHART



TOUGH SHOTS. ROUGH PLACES.



MOUNTS CHART

To find the correct base or mount to fit your firearm, you need to know the product number. To do this, follow these steps:

1. In the firearm column, find the manufacturer and make/model of your firearm (for example, Browning A-Bolt).
2. Next, find the 5-digit Product Number (for example: 48955), in the desired Product Category column (for example, Grand Slam Dovetail Bases). NOTE: in some cases, you will find a short reference number (for example, 60A) listed in the chart. Use this reference number to find the appropriate Product Number.
3. Product Numbers are found near the appropriate product description sections placed throughout the catalog. If necessary, match the reference numbers to product numbers.

Notes:

1. Shimming is probably required for perfect scope alignment.
2. Rear base may require modifications for correct fit to military actions.
3. Front base may require modification for correct fit.
4. Gun will have to be drilled and tapped.
5. Front base screws must be shortened by grinding.
6. May require bolt and/or safety alteration, otherwise firearm cannot function safely and properly. Consult with a qualified gunsmith.
7. BASE DOES NOT FIT ROSSI LARGE FRAME MATCHED PAIR COMBOS (ALL MODELS WITH 20 OR 12 GA SHOTGUN BARRELS).
8. Remove rear sight to use.
9. The handiest way to pinpoint the correct base for the Win. 52 & Win. 70 Long Action Rifles is to check the spacing of the tapped holes for the rear base and compare it to the hole spacing for the front base. Does it have:

HOLE SPACING THE SAME	HOLE SPACING IS DIFFERENT
Model 52 Use 46+ 46	Model 52 Use 25+ 57
Model 70 Use 47+ 46	Model 70 Use 49A+ 46
10. The Weaver type base built into this rifle will accept Weaver rings, but our highest ring (1" See-Thru #49513) still isn't high enough to clear the front sight.
11. The Weaver type base built into this firearm will accept any Detachable Top Mount Weaver Ring.
12. Rifle has Grooved Receiver for Tip-Off Rings.
13. Ruger Mark II Pistols. Weaver only offers a clamp on base with 1" rings (Pistol Mount System #306). Ruger supplies a short or long base and 1" or 30mm rings w/factory drilled and tapped pistols. Contact Ruger for these items.
14. Bolt clearance problem may exist and scope will not be centered.
15. Base accepts Tip-Off Rings only.
16. TO-9, TO-10 & TO-11 bases accept either Detachable Top Mount Rings or Tip-Off Rings. Each have crossbolt slots and 3/8" grooves for both applications.
17. Must be factory drilled and tapped.
18. One-Piece base attaches to barrel and extends back over receiver.
19. Requires the use of Thompson/Center base adapter.
20. Requires drilling and tapping 4 holes in receiver and relief space cut in stock to clear base.
21. Rear base is positioned on top of receiver and front base is positioned on the barrel. Drilling & tapping required. One-piece base mounts with 2 set screws & newer guns are factory drilled & tapped.
22. For shorter tube scopes or red dot scopes use #402 extension front base or one-piece base if available. Extension base allows an extra .689".
23. WARNING: NOT FOR USE WITH X-FRAME REVOLVERS. USE ON FIREARMS OTHER THAN THOSE LISTED MAY CAUSE INJURY.
24. Top mount base is designed to fit 12GA models only.
25. Can be used with Tactical Multi-Slot Base.
26. Rear base screws must be shortened by grinding.
27. Tactical Extended Multi-Slot Bases have 20 MOA versions as well. See product information section on page 13 for details.
28. This mount will not work on Ruger Blackhawk pistols with a flattop receiver.

THIS NOTES SECTION IS ALSO ON THE INSIDE BACK COVER FOR QUICK REFERENCE

Top Mount Ring Height Guide

Ring Size	Saddle Height	Fits Objective
1" Low	0.089	Thru 38mm
1" Medium	0.169	Thru 40mm
1" High	0.332	Thru 44mm
1" X-High	0.560	Thru 50mm
1" See-Thru	0.750	Thru 50mm
30mm Low	0.288	Thru 33mm
30mm High	0.500	Thru 44mm
1" Tip-Off	0.250	Thru 36mm
1" Tip-Off See-Thru	0.750	Thru 50mm

Note: Chart applies to Grand Slam, Sure Grip, Detachable, Quad Lock and Lever Lok Rings.

Dovetail Ring Height Guide

Ring Size	Saddle Height	Fits Objective
1" Low	0.150	Up to 40mm
1" Medium	0.270	Thru 50mm
1" High	0.400	Thru 56mm
1" X-High	0.520	Over 56mm
30mm Medium	0.320	Thru 56mm
30mm High	0.490	Over 56mm
1" Medium .22 Rings	0.262	Thru 40mm
1" High .22 Rings	0.392	Thru 44mm
1" X-High .22 Rings	0.512	Thru 50mm
1" Medium Mod 77/22 & No 1	0.453	Thru 50mm
1" Medium Mod 77	Stepped	Thru 50mm
1" High Mod 77	Stepped	Thru 56mm

Note: Chart applies to Dovetail Rings.

Tactical Style Ring Height Guide

Ring Size	Saddle Height	Fits Objective
1" Med	.280"	Thru 40mm
1" High	.400"	Thru 44mm
1" X-High	.520"	Thru 50mm
1" XX-High	.640"	Thru 56mm
30MM Low	.250"	Thru 38mm
30MM Med	.370"	Thru 40mm

Ring Size	Saddle Height	Fits Objective
30MM High	.490"	Thru 44mm
30MM X-High	.610"	Thru 56mm
34MM Low	0.327	Thru 24mm
34MM High	.577"	Thru 44mm
34MM XX-High	0.827"	Thru 56mm

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC		
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT	1-PC	2-PC	
ANSCHUTZ																			
▶ MARK 12		16 (48016)	16 (48016)																
▶ 54, 54MS, 64, 64MS, 164, 1400 SERIES, 1500 SERIES		91 (48091)	91 (48091)										S91 (48241)	S91 (48241)		48964			
▶ 153 DELUXE		19 (48019)	19 (48019)																
▶ 1568		61 (40861)	46 (48046)			402 (48108)						1 (48401)							
- MATTE		61M (48504)	46M (48502)			402M (48429)			49717				S61 (48234)	S46 (48227)	S402 (48247)				
- SILVER		61S (48002)	46S (48004)			402S (48430)			49729										
AUSTIN & HALLECK																			
▶ BOLT ACTION RIFLE		85 (48085)	85 (48085)																
AUTO SHOTGUNS																			
▶ ALL AUTOS EXCEPT REM 11-48, 11-87, 1100, SPTSMN 48	4											7 (48407)							
BENELLI																			
▶ NOVA 12 GA SHOTGUN (MATTE) (FLAT RECEIVER)						423M (48443)													
▶ SUPER BLACK EAGLE, SUPER BLACK EAGLE II, SUPER BLACK EAGLE III, SUPER NOVA, SUPER VINCI, M1 & M2 FIELD GUNS						93A (48506)													
- MATTE						93AT (48339)													
BERGARA																			
▶ B-14		36 (48036)	35 (48035)			40A (48040)													
- MATTE		36M (48501)	35M (48500)			40AM (48428)													
- SILVER		36S (48005)	35S (48006)			40AS (48041)													
BERETTA																			
▶ MATO RIFLE		49A (48049)	46 (48046)			402 (48108)													
▶ 500, 501, 502		54 (48054)	46 (48046)			402 (48108)													
▶ PINTAIL SLUG GUN		35 (48035)	35 (48035)		40A (48040)	40A (48040)													
- MATTE		35M (48500)	35M (48500)		40AM (48428)	40AM (48428)							S35 (48224)	S35 (48224)	S40A (48243)	S40A (48243)			
- SILVER		35S (48006)	35S (48006)		40AS (48041)	40AS (48041)													
BRITISH 303																			
▶ WITH ENFIELD ACTION	4,15							TO-1 (48203)											
BRNO ZB																			
▶ .22 HORNET, .218 BEE		39 (48039)	24 (48024)																
▶ ZB .22		28 (48028)	24 (48024)																
BROWNING																			
▶ 1885 HIGH WALL (OCTAGON BARREL)	1,3	11 (48011)	29 (48029)																
▶ 22 AUTO	18					60A (48064)													
▶ SAKO ACTIONS IN 243, 308, 22-250, 222 & 222 MAG.		72 (48072)	71 (48071)																
▶ A-BOLT, A-BOLT 22 STALKER; MEDALLION		47 (48047)	47 (48047)																
- MATTE		47M (48503)	47M (48503)	48462									S47 (48228)	S47 (48228)		48905			
- SILVER		47S (48003)	47S (48003)																
A-BOLT SHOTGUN																			
- MATTE		47M (48503)	419M (48437)																
▶ A-BOLT (EUROPEAN MODEL), MOD 52, 52C	5	85 (48085)	85 (48085)																
▶ A-BOLT III S/A (MATTE ONLY)		651	651	48481			612 (48315)	99473											
▶ A-BOLT III L/A (MATTE ONLY)		651	651	48481			611 (48314)	99472											
▶ T-BOLT		15 (48015)	15 (48015)																
▶ X-BOLT																			
- MATTE		433M	434M	48493															
- SILVER		433S	434S	48495															
▶ BOLT ACTION, HI-POWER, OTHER CAL. (OLDER MOD.)		45 (48045)	46 (48046)			402 (48108)						5 (48405)	S45 (48226)	S46 (48227)	S402 (48247)				
- SILVER		45S (48510)	46S (48004)			402S (48430)													
▶ BAR, BAR II, MARK II, BLR LIGHTNING (LEVER), BPR	5	54 (48054)	54 (48054)						49720							48932			
- MATTE (BASE PAIR)		54M	54M	48470									S54 (48230)	S54 (48230)		48933			

WEAVER

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES												
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC													
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR			FRONT												
BROWNING (continued)																														
► BLR (LEVER ACTION)		25 (48025)	25 (48025)												S25 (48223)	S25 (48223)														
► BLR WITH FLAT TOP RECEIVER (OLDER MODELS)		28 (48028)	28 (48028)																											
► BBR (BOLT ACTION) LONG & SHORT ACTIONS		47 (48047)	46 (48046)				402 (48108)				49718																			
- MATTE		47M (48503)	46M (48502)				402M (48429)								S47 (48228)	S46 (48227)					S402 (48247)									
- SILVER		47S (48003)	46S (48004)				402S (48430)																							
► A-BOLT WSSM		427 (48450)	47 (48047)																										48911	
► BAR MATTE								432M (48456)																						
BSA																														
► MONARCH MEDIUM ACTION IN 222, 243 & 308	25	36 (48036)	35 (48035)				40A (48040)	97 (48097)																						
- MATTE		36M (48501)	35M (48500)				40AM (48428)				49712				S36 (48225)	S35 (48224)					S40A (48243)									
- SILVER		36S (48005)	35S (48006)				40AS (48041)																							
► CF2, MONARCH LONG ACTION IN 7MM, 270 & 30-06	25	36 (48036)	35 (48035)				40A (48040)	98 (48098)																						
- MATTE		36M (48501)	35M (48500)				40AM (48428)				49712				S36 (48225)	S35 (48224)					S40A (48243)									
- SILVER		36S (48005)	35S (48006)				40AS (48041)																							
► OTHER HIGH-POWERS		28 (48028)	28 (48028)																											
CARCANO																														
► CARCANO	4, 6														1 (48401)															
CARL GUSTAF																														
► MOD 2000															S46 (48276)	S46 (48276)														
CHIAPPA																														
► DOUBLE BADGER							418M (48435)																							
CHURCHILL																														
► HIGHLANDER		36 (48036)	35 (48035)				40A (48040)																							
- MATTE		36M (48501)	35M (48500)				40AM (48428)				49712				S36 (48225)	S35 (48224)					S40A (48243)									
- SILVER		36S (48005)	35S (48006)				40AS (48041)																							
► CIL																														
► 830															1 (48401)															
► 871								62 (48062)			49715																			
► 900		19 (48019)	19 (48019)																											
► 950 & 950-C		61 (48061)	46 (48046)				402 (48108)								1 (48401)															
- MATTE		61M (48504)	46M (48502)				402M (48429)				49717				S61 (48234)	S46 (48227)					S402 (48247)									
- SILVER		61S (48002)	46S (48004)				402S (48430)																							
► 972-C		45 (48045)	46 (48046)				402 (48108)								S45 (48226)	S46 (48227)					S402 (48247)									
- SILVER		45S (48510)	46S (48004)				402S (48430)																							
COLT																														
► 57		45 (48045)	46 (48046)				402 (48108)								S45 (48226)	S46 (48227)					S402 (48247)									
- SILVER		45S (48510)	46S (48004)				402S (48430)																							
► COLTSMAN IN 223, 243 & 308 CAL. (ROUND RECEIVER)		25 (48025)	25 (48025)												S25 (48223)	S25 (48223)														
► COLTSMAN IN 264 & 30-06 CAL. (ROUND RECEIVER)		54 (48054)	54 (48054)								49720				S54 (48230)	S54 (48230)														
► COLTSMAN WITH SAKO STYLE ACTION IN 223 & OTHER CAL		67 (48067)	65 (48065)																											
► H BAR	10																													
► SHARPS		85 (48085)	85 (48085)																											
► SAUER		35 (48035)	35 (48035)				40A (48040)	40A (48040)																						48960
- MATTE		35M (48500)	35M (48500)				40AM (48428)	40AM (48428)							S35 (48224)	S35 (48224)	S40A (48243)	S40A (48243)												
- SILVER		35S (48006)	35S (48006)				40AS (48041)	40AS (48041)																						
COOY																														
► 60 & 600															2 (48402)															
► 71		47 (48047)	46 (48046)				402 (48108)				49718				1 (48401)															
- MATTE		47M (48503)	46M (48002)				402M (48429)								S47 (48228)	S46 (48227)					S402 (48247)									
- SILVER		47S (48003)	46S (48002)				402S (48430)																							

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC		
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT			
- SILVER		47S (48003)	46S (48004)			402S (48430)													
CVA																			
▶ OCTAGON BARRELS / RECEIVERS	17	61A (48504)	61A (48504)																
▶ ROUND BARRELS / RECEIVERS (POST '96 MODELS)		418M (48435)	418M (48435)	48521				617 (48300)				48543 MD							
												48544 H							
- SILVER		418S (48453)	418S (48453)									48550 (2 PC FDR 2010 +)							
ENFIELD WITH RECEIVER CUT DOWN LIKE:																			
▶ REMINGTON 30		11 (48011)	11 (48011)										1 (48401)						
▶ WINCHESTER 70		47 (48047)	46 (48046)			402 (48108)													
- MATTE		47M (48503)	46M (48002)			402M (48429)				49718			S47 (48228)	S46 (48227)		S402 (48247)			
- SILVER		47S (48003)	46S (48004)			402S (48430)													
▶ REMINGTON 721		36 (48036)	35 (48035)			40A (48040)													
- MATTE		36M (48501)	35M (48500)			40AM (48428)				49712			S36 (48225)	S35 (48224)		S40A (48243)			
- SILVER		46S (48004)	35S (48006)			40AS (48041)													
FRANCHI																			
▶ AFFINITY 12G 20G (3" & 3.5")																			
- MATTE						93A (48506)	93AT (48339)												
GARCIA																			
▶ 73						53 (48053)													
▶ 74		67 (48067)	65 (48065)																
GOLDEN EAGLE																			
▶ 7000		71 (48071)	71 (48071)																
GROOVED RECEIVER WITH 3/8" DOVETAILS																			
▶ SEE .22 RING INFORMATION	12									49515									
- SILVER										49733									
HENRY																			
▶ 30/30 & 45/70 BIG BOY				48492				63B (48069)											
- SILVER								63BS (48447)											
- MATTE				48471															
▶ SINGLE SHOT RIFLE (BREAK ACTION)								82 (48082)											
H & R																			
▶ PARDNER PUMP								505 (48113)											
▶ 65, 165, 150 & 151 (AUTO)		18 (48018)	18 (48018)										2 (48402)						
▶ 250, 251, 264, 265, 365, 450 & 550		18 (48018)	16 (48016)										2 (48402)						
▶ 232C SHOTGUN (10 GA.) & 980 ULTRA, PARDNER SB2 10G		19 (48019)	19 (48019)																
▶ 155, SB2 ULTRA (.22-250), TOPPER 158C (1973+), 157								82 (48082)											
▶ 300, 301, 330, 340 & 370 (PRE 1973)		45 (48045)	46 (48046)			402 (48108)							5 (48405)	S45 (48226)	S46 (48227)		S402 (48247)		
- SILVER		45S (48510)	46S (48004)			402S (48430)													
▶ 300 & 301 S.A. IN 22-250 243 & 308 (1973+)		83 (48083)	84 (48084)																
▶ 300 & 301 L.A. IN 270 30-06 7MM & 300 WIN (1973+)		54 (48054)	46 (48046)			402 (48108)								S54 (48230)	S46 (48227)		S402 (48247)		
▶ 317 & 322		11 (48011)	35 (48035)			40A (48040)													
▶ 317 (PRE 1975)		67 (48067)	65 (48065)																
▶ 360 & 361								81 (48081)											
▶ 700								87 (48087)											
▶ 755, 765, 852 & 865		17 (48017)	21 (48021)										2 (48402)						
▶ 800		12 (48012)	12 (48012)																
▶ TOPPER 30, 22 JET & MOD 158 (PRE 1973)	18							60A (48064)											
▶ HANDY RIFLE								82 (48082)											

WEAVER

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER		NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES		
			STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC			
			REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR			FRONT		
HERTERS																					
▶ J9			45 (48045)	46 (48046)			402 (48108)							5 (48405)	S45 (48226)	S46 (48227)		S402 (48247)			
- SILVER			45S (48510)	46S (48004)			402S (48430)														
▶ U9 BSA ACTION	4		28 (48028)	28 (48028)																	
▶ U9 ROUND RECEIVER			36 (48036)	35 (48035)			40A (48040)														
- MATTE			36M (48501)	35M (48500)			40AM (48428)			49712					S36 (48225)	S35 (48224)		S40A (48243)			
- SILVER			36S (48005)	35S (48006)			40AS (48041)														
HIGH-STANDARD																					
▶ HIGH-POWER			55 (48055)	46 (48046)			402 (48108)							1 (48401)	S55 (48231)	S46 (48227)					
▶ AUTO SHOTGUN													8 (48408)								
HOWA																					
▶ HOWA 1500 S/A			36 (48036)	35 (48035)			40A (48040)			99503										48912	48900
- MATTE			36M (48501)	35M (48500)			40AM (48428)			99504 (20 MOA)	49712				S36 (48225)	S35 (48224)		S40A (48243)	48913	48901	
- SILVER			36S (48005)	35S (48006)			40AS (48041)														
▶ HOWA 1500 L/A			36 (48036)	35 (48035)			40A (48040)			99501											
- MATTE			36M (48501)	35M (48500)			40AM (48428)			99502 (20 MOA)	48334				S35 (48224)			S40A (48243)	48913	48901	
- SILVER			36S (48005)	35S (48006)			40AS (48041)														
HUSQVARNA																					
▶ 1900, 9000			55 (48055)	46 (48046)																	
INTERARMS																					
▶ 92 CARBINE (REPLICA OF WIN. 92)	4													3A (48403)							
▶ ATD	18						60A (48064)														
▶ MARK X	1		55 (48055)	20A (48020)																	
▶ MINI MARK X	1		23 (48023)	71A (48010)																	
▶ VISCOUNT	1		45 (48045)	46 (48046)			402 (48108)								S45 (48226)	S46 (48227)		S402 (48247)			
ITHACA																					
▶ DEERSLAYER 37 & 87 (12, 16, 20 GA.)							62 (48062)				49715										
▶ LSA-55 & LSA-65			61 (48061)	61 (48061)							49727										
- MATTE			61M (48504)	61M (48504)											S61 (48234)	S61 (48234)					
- SILVER			61S (48002)	61S (48002)																	
▶ 49SS, .22	4													3A (48403)							
▶ LIGHTNING X3			39 (48039)	39 (48039)																	
JAPANESE																					
▶ 6.5MM & 7.7MM	6						70 (48070)							1 (48401)							
KNIGHT MUZZLELOADERS																					
▶ KNIGHT MK-85, BK-92 & T-BOLT (FLAT RECEIVERS)			61 (48061)	61 (48061)																	
- MATTE			61M (48504)	61M (48504)											S61 (48234)	S61 (48234)					
- SILVER			61S (48002)	61S (48002)																	
▶ KRB7			45 (48045)	45 (48045)																	
- SILVER			45S (48510)	45S (48510)																	
▶ LK-93, WOLVERINE, LEGEND, DISC, AMERICAN, REVOLUTION			45 (48045)	45 (48045)																	
- MATTE															S45 (48226)	S45 (48226)					
- SILVER			45S (48510)	45S (48510)																	
▶ KP1			18 (48018)	18 (48018)																	
▶ TK2000																					
KRAG																					
▶ (OFFSET TO LEFT FOR EASY EJECTION)	4													2 (48402)							
LAKEFIELD																					
▶ 22 RIMFIRE	12																				
LEE-ENFIELD																					
▶ LEE-ENFIELD	4,15						TO-1 (48203)														

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES W/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC		
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT	1-PC	2-PC	
LYMAN																			
▶ MUSTANG		55 (48055)	55 (48055)																
MAGNUM RESEARCH																			
▶ LONE EAGLE SSP 91 PISTOL		16 (48016)	16 (48016)																
MARLIN																			
▶ 45, 30AS, 336 (ALL MODELS), 444, 1893, 1894, 1895, CAMP 9, 989, .22 AUTO, (308MX PER MARLIN)				48492 (336 ONLY)			63B (48069)			49713									
- SILVER							63BS (48447)												
- MATTE				48471								S466 (48282)	S466 (48282)						
▶ 36, 36A, 336T, 444 SPORTER, 375, 1895, 9																	48928		
- MATTE																	48929		
▶ A1 & 50		15 (48015)	15 (48015)									2 (48402)							
▶ 39A, 39D & CENTURY (OCTAGON BARREL)		28 (48028)	31 (48031)									2 (48402)							
▶ 39A (ROUND BARREL)	21	29 (48029)	16 (48016)				90 (48090)					2 (48402)							
▶ 25																			
▶ 57, 56							58 (48058)												
▶ 88, 89 & 98		18 (48018)	18 (48018)									2 (48402)							
▶ 80, 81 & 980		12 (48012)	12 (48012)									2 (48402)							
▶ 455		45 (48045)	46 (48046)				402 (48108)					5 (48405)	S45 (48226)	S46 (48227)		S402 (48247)			
- SILVER		45S (48510)	46S (48004)				402S (48430)												
▶ 512 SLUG MASTER & 55 (DRILL & TAP) (MATTE)												10M (48416)							
▶ 60, 990L, 70, 995, 882, 25MN, 883	12																		
▶ MR7		47 (48047)	46 (48046)				402 (48108)	99 (48099)											
- MATTE		47M (48503)	46M (48502)				402M (48429)			49718		S47 (48228)	S46 (48227)		S402 (48247)				
- SILVER		47S (48003)	46S (48004)				402S (48430)												
▶ MLS-50 & MLS-54, (BASES SOLD 2/ PACK)		406 (48110)	406 (48110)																
▶ 1894							63B (48069)										48958		
▶ 900 IN 917, XT-22, XT-17		12 (48012)	12 (48012)																
▶ 922M							63B (48069)												
▶ 925		12 (48012)	12 (48012)																
▶ XL7, XS7, X7		47 (48047)	46 (48046)				402 (48108)												
- MATTE		47M (48503)	46M (48502)				402M (48429)			49718		S47 (48228)	S46 (48227)		S402 (48247)				
- SILVER		47S (48003)	46S (48004)				402S (48430)												
MAUSER																			
▶ RECEIVER RING ABOUT 1.410" DIAMETER (98FN)	1, 2	45 (48045)	46 (48046)				402 (48108)			49721		5 (48405)	S45 (48226)	S46 (48227)		S402 (48247)	48954	48952	
- MATTE				48464			402M (48429)												
- SILVER		45S (48510)	46S (48004)				402S (48430)												
▶ RECEIVER RING ABOUT 1.300" DIAMETER (SWEDISH 96)	1, 2	55 (48055)	46 (48046)				402 (48108)					1 (48401)	S55 (48231)	S46 (48227)		S402 (48247)	48950		
▶ BAUER 3000 & 4000		68 (48068)	46 (48046)				402 (48108)												
MARK X	1	55 (48055)	20A (48020)																
▶ 98																	48916	48910	
MOSSBERG																			
▶ 25, 26, 42, 46M, 140, 142 & 146 45-46 W/ 3/4" DIA. BBLs		12 (48012)	13 (48013)									2 (48402)							
▶ 40		16 (48016)	21 (48021)									2 (48402)							
▶ 43, 44, 144, 46BT & 35		12 (48012)	16 (48016)									2 (48402)							
▶ 45, 46 EARLY MODELS WITH 13/16" DIA. BBLs		12 (48012)	16 (48016)									2 (48402)							
▶ 320, 340, 342 & 620		21 (48021)	21 (48021)									2 (48402)							
▶ 640							63B (48069)			49713									
▶ 680, 800 & 695-SHOTGUN (USE DUAL EXTENSION RINGS)		55 (48055)	55 (48055)										S55 (48231)	S55 (48231)					
▶ 50, 51, 151, 152, 350 & 352		12 (48012)	12 (48012)									2 (48402)							

WEAVER

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC		
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT			
MOSSBERG (continued)																			
▶ 400		20A (48020)	42 (48042)																
▶ 472, 479 & 679								80 (48080)											
▶ 464 LEVER ACTION (CENTER FIRE ONLY)		403 (48107)	403 (48107)																
▶ 4X4		35 (48035)	36 (48036)																
- MATTE		35M (48500)	36M (48502)	48460															
- SILVER		35S (48006)	36S (48005)	48461															
▶ 500AS (PRE 1997) & 600 SHOTGUNS								88 (48088)											
▶ 500 (1997+) 510, 590, 535 & 835 SHOTGUNS (MATTE)				48473				417M (48440)	417T (48333)										
▶ 810 & RM7		25 (48025)	11 (48011)																
▶ 100 ATR, 1500, 1700		36 (48036)	35 (48035)				40A (48040)										48912 48900		
- MATTE		36M (48501)	35M (48500)				40AM (48428)			49712			S36 (48225)	S35 (48224)		S40A (48243)	48913 48901		
- SILVER		36S (48005)	35S (48006)				40A-S (48041)												
▶ 930,935 (MATTE)								430M (48455)											
▶ 9200								430 (48455)											
▶ MOSSBERT SSA . MVP 5.56/224VLK																			
- MATTE		36M (48501)	35M (48500)	48483			40AM (48428)						S36 (48225)	S35 (48224)					
▶ PATRIOT S/A, MVP 7.62/6.5CM																			
- MATTE		650	35M (48500)	48483			40AM (48428)		615 (48318)	99475			S36 (48225)	S35 (48224)					
▶ PATRIOT L/A																			
- MATTE		650	35M (48500)	48483			40AM (48428)		616 (48319)	99474			S36 (48225)	S35 (48224)					
MUSGRAVE																			
▶ MARK I & MARK II		54 (48054)	46 (48046)				402 (48108)						S54 (48230)	S46 (48227)		S402 (48247)			
▶ MARK III & MARK IV		45 (48045)	46 (48046)				402 (48108)						S45 (48226)	S46 (48227)		S402 (48247)			
- SILVER		45S (48510)	46S (48004)																
NAVY ARMS																			
▶ COUNTRY BOY MUZZLELOADER		46 (48046)	46 (48046)			402 (48108)	402 (48108)	53 (48053)											
- MATTE		46M (48502)	46M (48502)			402M (48429)	402M (48429)						S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)			
- SILVER		46S (48004)	46S (48004)			402S (48430)	402S (48430)												
NEW ENGLAND FIREARMS (H & R)																			
▶ HANDY RIFLE HORNET (USE EXTRA HIGH RINGS)								82 (48082)											
▶ N.E.F. 10 GAUGE SHOTGUN		19 (48019)	19 (48019)																
▶ HUNTSMAN MUZZLELOADER	8							82 (48082)											
NEW HAVEN																			
▶ 495B (MATTE)													10M (48416)						
NORINCO																			
▶ 22 AUTO (REPLICA OF BROWNING 22 AUTO)	18							60A (48064)											
▶ JW-15	12																		
OCTAGON BARREL OR FLAT TOP RECEIVERS																			
▶ CAN BE FITTED WITH THE FOLLOWING BASES:		61 (48061)	61 (48061)					50 (48050)											
PARKER-HALE																			
▶ 1000, 1000C, 1100, 1200 & 1700		45 (48045)	46 (48046)				402 (48108)						S45 (48226)	S46 (48227)		S402 (48247)			
- SILVER		45S (48510)	46S (48004)				402S (48430)												
▶ 2600		71 (48071)	85 (48085)																
▶ MIDLAND																			
PEDER SOLI																			
▶ LIGHTNING		75 (48075)	75 (48075)																
PUMP SHOTGUNS																			
ALL PUMPS EXCEPT WIN. 42	4												8 (48408)						
RAPTOR ARMS																			
▶ SAME AS REMINGTON 700 LONG ACTION	25	36 (48036)	35 (48035)				40A (48040)	98 (48098)					1 (48401)	S36 (48225)	S35 (48224)		S40A (48243)		

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC		
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT			
- MATTE		36M (48501)	35M (48500)			40AM (48428)				49712				S36 (48225)	S35 (48224)		S40A (48243)		
- SILVER		36S (48005)	35S (48006)			40A-S (48041)													
REMINGTON																			
► 700, 78, 40X-L, 721 & 725 (ALL LONG ACTIONS)	25	36 (48036)	35 (48035)			40A (48040)	98 (48098)			99501			1 (48401)					48912	48900
- MATTE		36M (48501)	35M (48500)	48460		40AM (48428)		98T (48334)		99502 (20MOA)	49712			S36 (48225)	S35 (48224)		S40A (48243)	48913	48901
- SILVER		36S (48005)	35S (48006)	48461		40A-S (48041)													
► 700, 78, 40X-S, 722 & 725 (ALL SHORT ACTIONS), 700 MZL. LDR.	25	36 (48036)	35 (48035)			40A (48040)	97 (48097)			99503			1 (48401)	S36 (48225)	S35 (48224)		S40A (48243)	48930	48900
- MATTE		36M (48501)	35M (48500)	48460		40AM (48428)		97T (48330)		99504 (20MOA)	49712			S36 (48225)	S35 (48224)		S40A (48243)	48931	48901
- SILVER		36S (48005)	35S (48006)	48461		40A-S (48041)													
► 710,715,770		71 (48071)	71 (48071)																
► 783 S/A		35 (48035)	35 (48035)		40A (48040)	40A (48040)								S35 (48224)	S35 (48224)	S40A (48243)	S40A (48243)		
- MATTE		35M (48500)	35M (48500)	48477		40AM (48428)		607 (48310)		99506									
- SILVER		35S (48006)	35S (48006)			40A-S (48041)													
► 783 L/A		35 (48035)	35 (48035)		40A (48040)	40A (48040)													
- MATTE		35M (48500)	35M (48500)	48477		40AM (48428)		608 (48311)		99505									
- SILVER		35S (48006)	35S (48006)			40A-S (48041)													
► 788 ALL CALIBERS		76 (48076)	75 (48075)																
► 788 IN .222 MAG, .22/.250, .30/.30 CAL																			48978
► 788 IN .243, 6MM, .308 CAL																			48946
► 7 W/3 HOLES, 600, 660, XP-100, XR-100							70 (48070)						1 (48401)						
► 7 W/4 HOLES, (NEW IN 1999), 673 (MATTE)		421M (48444)	35M (48500)											S430 (48249)	S460 (48276)				
► 740, 742 & 760							62 (48062)				49715								48948
► 4, 6, 74, 76, 7400, 7600, 750							93 (48093)				49714								48914
- MATTE																			
► 8 & 81													7 (48407)						
► 10, 11, 12, 34*, 341*, 510, 511, 512 & 521T	6	43 (48043)	42 (48042)										2 (48402)						
► 12A, 121 WITH 3/4" DIAMETER BARRELS		18 (48018)	13 (48013)										2 (48402)						
► 121 WITH 13/16" DIAMETER BARRELS		18 (48018)	17 (48017)										2 (48402)						
► 12C OCTAGON BARREL		18 (48018)	31 (48031)																
► 14 & 141		20A (48020)	27 (48027)																
► 41	6	17 (48017)	17 (48017)										2 (48402)						
► 24 & 241	18						60A (48064)												
► 25		18 (48018)	21 (48021)										2 (48402)						
► 30 & 720		11 (48011)	11 (48011)										1 (48401)						
► 33	6	17 (48017)	13 (48013)										2 (48402)						
► 513S & 513T		43 (48043)	44 (48044)										2 (48402)						
► 514		16 (48016)	21 (48021)										2 (48402)						
► 514 (NOT DRILLED & TAPPED) & 550	4	12 (48012)	12 (48012)																
► 541S & 541T		15 (48015)	15 (48015)																
► 522 VIPER	11																		
► 547																			
► 5, 552, 572 & 581(S)	12						T22 (48459)												
► 597 (MATTE)	25						414M (48426)			414T (48336)									
- MATTE																			
- SILVER							414S (48427)												
► 798 (TWO PC BASE PAIR IN MATTE)		55 (48055)	20A (48020)																
► 799 (BASE PAIRS IN MATTE #48477) (TWO PC BASE PAIR IN MATTE)		23 (48023)	71A (48010)	48477															
► 870, 1100, 11-87 SHOTGUNS (SEE CONVERTA MOUNT SYSTEM)	24						429M (48454)												
- MATTE (MULTI-SLOT BASE)	25									453 (48345)									
► 11-48, 1100, SPORTSMAN 48 & 58 SHOTGUNS													8 (48408)						
► GENESIS (418M SOLD AS A BASE PAIR)		418M (48435)	418M (48435)	48435									48543 MD						
													48544 H						

WEAVER

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES			1-PC	1-PC	1-PC				STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT	REAR	FRONT	1-PC
ROSSI (ALSO SEE INTERARMS)																			
► .410/.22LR & .410/.17HMR SMALL FRAME MATCHED PAIR COMBO ONLY	7			48492					92A (48092)										
RUGER																			
► AMERICAN S/A		46 (48046)	46 (48046)	48478	402 (48108)	402 (48108)													
- MATTE		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)			609 (48312)	99469			S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)	48906		
- SILVER		46S (48004)	46S (48004)	48467	402S (48430)	402S (48430)													
► AMERICAN L/A		46 (48046)	46 (48046)	48463	402 (48108)	402 (48108)													
- MATTE		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)			610 (48313)	99468			S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)	48906		
- SILVER		46S (48004)	46S (48004)	48467	402S (48430)	402S (48430)													
► AMERICAN RIM FIRE		12 (48012)	12 (48012)																
► NO. 1	1,3,4	85 (48085)	89 (48073)																
► NO. 3	1,3,4	85 (48085)	86 (48086)																
► 10/22, 22 LR CAL.	25																		
► 10/22 IN 22 LONG RIFLE CAL. (GROOVED & DRILLED), RUGER 10/22 CHARGER	16								TO-9 (48201)										
- MATTE	16, 25			48474					TO-9M (48505)		49711								
- SILVER	16								TO-9S (48009)		49734								
► 10/22 MAG & 77/22 (W/BUILT-IN INTEGRAL MOUNTS), 77-50 ML											49723								
- SILVER											49735								
► 96/22 & 96/22 MAGNUM	16								TO-11 (48511)										
► 44 CARBINE MAGNUM DEERSTALKER		47 (48047)	68 (48068)																
► M77 (ROUND TOP DRILLED)		79 (48079)	35 (48035)						40A (48040)								48912 48900		
- MATTE																	48913 48901		
► MINI 14 / NO RINGS	25									48332									
► MINI 14 RANCH & MINI 30 (W/BUILT-IN INTEGRAL MOUNT) (MATTE)												49723							
- SILVER												49735							
► MINI 14 (SIDE PLATE MULTISLOT MOUNT) (MATTE)																			
► BLACKHAWK & SUPER BLACKHAWK (301)	8									48638		48601							
- SILVER (301S)	8									48635									
► SUPER REDHAWK (SILVER)										48497									
► REDHAWK (308S) (SILVER)	8									48648									
► MARK II AND III PISTOL STANDARD MODELS (306)	8, 13									48641									
SAKO																			
► A7		47 (48047)	47 (48047)																
► L579		72 (48072)	71 (48071)																
► 72, 75 & 78		85 (48085)	85 (48085)																
► FINNWOLF										53 (48053)									
► FORESTER, FINNBEAR & VIXEN (TAPERED DOVETAILS)		67 (48067)	65 (48065)																
► WHITETAIL HUNTER		61 (48061)	61 (48061)																
- MATTE		61M (48002)	61M (48002)								49727		S61 (48234)	S61 (48234)					
- SILVER		61S (48002)	61S (48002)																
SAUER																			
► 101																			
► 200		35 (48035)	35 (48035)							40A (48040)									
- MATTE		35M (48500)	35M (48500)							40AM (48428)	40AM (48428)		S35 (48224)	S35 (48224)	S40A (48243)	S40A (48243)			
- SILVER		35S (48006)	35S (48006)							40AS (48041)	40AS (48041)								
► 202													S459 (48275)	S460 (48276)					
► SHR 970		25 (48025)	25 (48025)								49720		S25 (48223)	S25 (48223)					
SAVAGE																			
► A17, A22 (POST 2020), A22 MAG		46 (48046)	46 (48046)	48478	402 (48108)	402 (48108)													
- MATTE		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)				48308									
- SILVER		46S (48004)	46S (48004)	48467	402S (48430)	402S (48430)													

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC		
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT	1-PC	2-PC	
▶ A22 PRE-2020		46 (48046)	46 (48046)	48478	402 (48108)	402 (48108)													
- MATTE		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		48307											
- SILVER		46S (48004)	46S (48004)	48467	402S (48430)	402S (48430)													
▶ RASCAL								48302											
▶ AXIS SERIES, EDGE		46 (48046)	46 (48046)		402 (48108)	402 (48108)			99487										
- MATTE		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		506 (48347)	99488 (20MOA)			S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		48906		
- SILVER		46S (48004)	46S (48004)	48467	402S (48430)	402S (48430)													
▶ 3		16 (48016)	21 (48021)									2 (48402)							
▶ 4 & 5		12 (48012)	13 (48013)									2 (48402)							
▶ 6 & 7		12 (48012)	12 (48012)									2 (48402)							
▶ 29 (ROUND BARREL)		11 (48011)	22 (48022)																
▶ 19 & 23		15 (48015)	16 (48016)									2 (48402)							
▶ 20, 340, 340E, 342, 840 & 842E	14											1 (48401)							
▶ 320							417M (48440)	417T (48333)											
▶ 24	17						74 (48074)												
▶ 24 & 900S (.22 CAL RIFLES W/GROOVED RECEIVERS)	12						TO-10 (48202)												
▶ 25 VARMINT		16 (48016)	16 (48016)																
▶ 25 (OCTAGON BARREL)		19 (48019)	31 (48031)																
▶ 40 & 45 SUPER SPORTER		11 (48011)	11 (48011)									2 (48402)							
▶ 67 SHOTGUN							93 (48093)			49714									
▶ 93F HEAVY BARREL, 93, 93FVSS	5,26	16 (48016)	16 (48016)																
▶ 99, 1895 & 1899	5,26	14 (48014)	19 (48019)														48956		
▶ 170							62 (48062)			49715									
▶ 212 (SHOT GUN)	5,25	46 (48046)	46 (48046)		402 (48108)	402 (48108)		413T (48329)	99489			S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		48906		
- MATTE		46M (48502)	46M (48502)		402M (48429)	402M (48429)			99490 (20MOA)										
▶ 219		12 (48012)	30 (48030)									2 (48402)							
▶ 220 (SHOT GUN)	5,25	46 (48046)	46 (48046)		402 (48108)	402 (48108)		413T (48329)	99489			S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		48906		
- MATTE		46M (48502)	46M (48502)		402M (48429)	402M (48429)			99490 (20MOA)										
▶ 10, 11, 12, 14 & 16 (SHORT ACTIONS). STRIKER PSTL, 510, 512, 516, S/ A 10 ML (2-PIECE ONLY) PRE 2003 MODELS	22	61 (48061)	46 (48046)		402 (48108)	420M (48438)										48920	48902		
- MATTE	22	61M (48002)	46M (48502)	48465		402M (48429)						S61 (48234)	S46 (48227)		S402 (48247)		48903		
- SILVER	22	61S (48002)	46S (48004)			402S (48430)											48972		
▶ 110, 111, 112, 114, 116 (LONG ACTIONS); 210 SHTG (USE X-HIGH RINGS) PRE 2003 MODELS	22	61 (48061)	46 (48046)		402 (48108)	413 (48425)						1 (48401)				48918	48902		
- MATTE	22	61M (48002)	46M (48502)	48465		402M (48429)	413M (48442)			49717		S61 (48234)	S46 (48227)		S402 (48247)		48903		
- SILVER	22	61S (48002)	46S (48004)			402S (48430)											48972		
▶ 2400		67 (48067)	65 (48065)																
▶ 110 111 112 114 116 SERIES HOG HUNTER, LADY HUNTER LA (W/ ACCUTRIG.) (POST 2003), STEVENS 200, 10 ML II (6-48 SCREWS)	22	46 (48046)	46 (48046)		402 (48108)	402 (48108)			99489										
- MATTE	25,28	46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		413T (48329)	99490 (20MOA)			S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		48906		
- SILVER		46S (48004)	46S (48004)	48467	402S (48430)	402S (48430)													
▶ 10 11 12 14 16 SA (W/ ACCUTRIG.) (POST 2003) (6-48 SCREWS)	22	46 (48046)	46 (48046)		402 (48108)	402 (48108)			99491										
- MATTE	25,28	46M (48502)	46M (48502)		402M (48429)	402M (48429)		431T (48338)	99492 (20MOA)			S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		48906		
- SILVER		46S (48004)	46S (48004)	48467	402S (48430)	402S (48430)													
▶ LA RIFLES, 110, 110 BA STEALTH, 112 MAGNUM TARGET, 111 LONG RANGE HUNTER, 110 FCP HS PRECISION, 110 BA STEALTH EVOLUTION (8-40 SCREWS) -MATTE		653 (48420)	653 (48420)	48489	654 (48421)	654 (48421)		619 (48344)	99465			S670 (48260)	S670 (48260)	S671 (48261)	S671 (48261)				
									99497 (20MOA)										
▶ SA RIFLES, 110, 10 BA STEALTH, 10BA STEALTH EVOLUTION, 10 GRS (8-40 SCREWS) -MATTE		653 (48420)	653 (48420)	48489	654 (48421)	654 (48421)		618 (48343)	99466			S670 (48260)	S670 (48260)	S671 (48261)	S671 (48261)				
									99498 (20MOA)										

WEAVER

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC		
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT			
SAVAGE (continued)																			
▶ 10 ML		61 (48061)	46 (48046)			402 (48108)													
- MATTE		61M (48002)	46M (48502)			402M (48429)		413M (48442)											
- SILVER		61S (48002)	46S (48004)			402S (48430)													
▶ 10 ML 2 (POST 2003)	22	46 (48046)	46 (48046)			402 (48108)		402 (48108)											
- MATTE		46M (48502)	46M (48502)			402M (48429)		402M (48429)					S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)	48906		
- SILVER		46S (48004)	46S (48004)			402S (48430)		402S (48430)											
▶ B-MAG (WSM ALL CALIBERS)		15M (48015)	15M (48015)	48480				602 (48305)											
▶ B-SERIES (RIM FIRE ALL CALIBERS)		15M (48015)	15M (48015)	48480				606 (48309)											
▶ 93R17, MARK I, MARK II, CUB	5,26	16 (48016)	16 (48016)					601 (48304)											
▶ 64		16 (48016)	16 (48016)					603 (48306)											
▶ MARK II G (NOT DRILLED AND TAPED 3/8" GROVE)																			
SCHULTZ & LARSEN																			
▶ SCHULTZ & LARSEN		54 (48054)	46 (48046)			402 (48108)							1 (48401)	S54 (48230)	S46 (48227)		S402 (48247)		
SEARS																			
▶ 42 & 43		12 (48012)	21 (48021)																
▶ 50 & 51		45 (48045)	46 (48046)			402 (48108)							5 (48405)	S45 (48226)	S46 (48227)		S402 (48247)		
- SILVER		45S (48510)	46S (48004)			402S (48430)													
▶ 51L		55 (48055)	46 (48046)			402 (48108)							1 (48401)	S55 (48231)	S46 (48227)		S402 (48247)		
▶ 53		47 (48047)	46 (48046)			402 (48108)			49718				1 (48401)						
- MATTE		47M (48503)	46M (48502)			402M (48429)								S47 (48228)	S46 (48227)		S402 (48247)		
- SILVER		47S (48003)	46S (48004)			402S (48430)													
▶ 54 & 100													3B (48412)						
SHILEN																			
▶ FLAT TOP RECEIVER		61 (48061)	61 (48061)																
- MATTE		61M (48504)	61M (48504)											S61	S61				
- SILVER		61S (48002)	61S (48002)																
▶ ROUND RECEIVER		35 (48035)	35 (48035)			40A (48040)		40A (48040)											
- MATTE		35M (48501)	35M (48501)			40AM (48428)		40AM (48428)						S35 (48224)	S35 (48224)	S40A (48243)	S40A (48243)		
- SILVER		35S (48006)	35S (48006)			40AS (48041)		40AS (48041)											
SKS																			
▶ SKS (MATTE)	25							48331											
SMITH & WESSON																			
▶ I BOLT																			
▶ MAUSER ACTIONS W/SMALL REC. RING ABOUT 1.30" DIA		55 (48055)	46 (48046)			402 (48108)							1 (48401)	S55 (48231)	S46 (48227)		S402 (48247)		
▶ 1500 1600 & 1700		36 (48036)	35 (48035)			40A (48040)											48912 48900		
- MATTE		36M (48501)	35M (48501)			40AM (48428)			49712					S36 (48225)	S35 (48224)		S40A (48243)		
- SILVER		36S (48005)	35S (48006)			40AS (48041)													
▶ 29, 629, 625, 686 & L, K & N FRAME RVLRS (FACTORY DRILLED)	8,17,23							401 (48109)											
- SILVER	8,17,23							401S (48001)											
▶ 41 PISTOL								62 (48062)											
▶ X-FRAME (SILVER - 48496)	25							48496											
SPRINGFIELD																			
▶ 03	6	54 (48054)	55 (48055)										1 (48401)	S54 (48230)	S55 (48231)				
▶ 03-A3	8	59 (48059)	45 (48045)																
SPRINGFIELD ARMORY																			
▶ 1911 A-2 SASS CONVERSION								26 (48026)											
STEVENS																			
▶ 26		22 (48022)	22 (48022)											2 (48402)					
▶ 27 OCTAGON		31 (48031)	31 (48031)																
▶ 53		16 (48016)	21 (48021)											2 (48402)					
▶ 56 & 66		12 (48012)	13 (48013)											2 (48402)					

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC		
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT	1-PC	2-PC	
▶ 57, 76, 4171/2 & 762		12 (48012)	12 (48012)									2 (48402)							
▶ 110E		61 (48061)	46 (48046)			402 (48108)						1 (48401)							
- MATTE		61M (48504)	46M (48502)			402M (48429)				49717			S61 (48234)	S46 (48227)		S402 (48247)			
- SILVER		61S (48002)	46S (48004)			402S (48430)													
▶ 322 & 325												1 (48401)							
▶ 300, 305, 310, 315, CADET	5,26	16 (48016)	16 (48016)																
▶ 416		18 (48018)	17 (48017)									2 (48402)							
▶ 417		15 (48015)	15 (48015)									2 (48402)							
▶ 418 & 418 1/2		16 (48016)	16 (48016)									2 (48402)							
▶ SAVAGE/STEVENS 200	22	46 (48046)	46 (48046)			402 (48108)	402 (48108)												
- MATTE	22	46M (48502)	46M (48502)			402M (48429)	402M (48429)						S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)	48906		
- SILVER	22	46S (48004)	46S (48004)			402S (48430)	402S (48430)												
STEVENS - SPRINGFIELD																			
▶ 83		16 (48016)	21 (48021)									2 (48402)							
▶ 85, 87 & 872	4	12 (48012)	12 (48012)									2 (48402)							
▶ 840	14											1 (48401)							
STEYR MANNLICHER																			
▶ M,S		432M (48456)	432M (48456)																
STOEGER																			
▶ 3000							93A (48506)												
- MATTE							93AT (48339)												
TAURUS																			
▶ L, K & N FRAME RVLRS (LIKE S&W FACTORY DRILLED)	8,17,23						401 (48109)												
- SILVER	8,17,23						401S (48001)												
▶ L & K FRAME RVLRS (307)	8						48642												
- SILVER (307S)	8						48634												
THOMPSON CENTER																			
▶ CONTENDER HANDGUN (WILL NOT FIT THE 44 MAG BULLBARRL) &CONTENDER CARBINE RIFLE							92A (48092)												
- SILVER							92AS (48007)												
▶ SCOUT RIFLE & SCOUT PISTOL							404 (48440)												
▶ TCR 83 ARISTOCRAT							405 (48105)												
▶ THUNDERHAWK & FIREHAWK (2EA. PER PKG.)		406 (48110)	406 (48110)																
▶ ENCORE, OMEGA, TRIUMPH, IMPACT							410 (48513)					48540 MD					48926		
- MATTE							410M (48520)					48541 H							
- SILVER							410S (48452)												
▶ SYSTEM 1 & BLACK DIAMOND, BLK MOUNTAIN, CENTER WOODS, 22 CLASSIC R55																			
- SILVER						411 (48632)													
						411S (48633)													
▶ VENTURE, COMPASS		46 (48046)	46 (48046)			402 (48108)	402 (48108)												
- MATTE	22	46M (48502)	46M (48502)			402M (48429)	402M (48429)						S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)	48906		
- SILVER	22	46S (48004)	46S (48004)			402S (48430)	402S (48430)												
TIKKA																			
▶ TIKKA W/FLAT RECEIVER, T3, 500 SERIES		61 (48061)	61 (48061)																
- MATTE		61M (48504)	61M (48504)	48476						99470			S61 (48234)	S61 (48234)					
- SILVER		61S (48002)	61S (48002)																
▶ T3X		61 (48061)	61 (48061)																
- MATTE		61M (48504)	61M (48504)	48476						99470			S61 (48234)	S61 (48234)					
▶ SAKO DESIGN W/TAPERED DOVETAIL		67 (48067)	65 (48065)																
TRADITIONS																			
▶ WHITETAIL W/OCTAGON RECEIVERS	17	61A (48060)	61A (48060)																
▶ IN-LINE MUZZLELOADERS W/ROUND RECEIVERS -MATTE		418M (48435)	418M (48435)	48521								48543 MD							
- SILVER		418S (48453)	418S (48453)									48544 H							

WEAVER

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES			1-PC	1-PC	1-PC				STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT	REAR	FRONT	
U. S. CARBINE																			
▶ M1 CARBINE 30 CAL.	20												M (48409)						
VALMET																			
▶ TAPERED DOVETAIL SAKO DESIGN		67 (48067)	65 (48065)																
VOERE																			
▶ 2130	4	28 (48028)	28 (48028)																
▶ 2150, 2165/1, 2165/2, 2165/3 & 2165/4 (MAUSER ACTION)		45 (48045)	46 (48046)			402 (48108)								S45 (48226)	S46 (48227)		S402 (48247)		
- SILVER		45S (48510)	46S (48004)																
WEATHERBY																			
▶ VANGUARD S/A, 300	1, 22	36 (48036)	35 (48035)			40A (48040)				49712							48900		
- MATTE	1, 22	36M (48501)	35M (48500)			40AM (48428)								S36 (48225)	S35 (48224)		S40A (48243)		
- SILVER	1, 22	36S (48005)	35S (48006)			40AS (48041)													
▶ VANGUARD L/A		36 (48036)	35 (48035)			40A (48040)				49712									
- MATTE	1, 22	36M (48501)	35M (48500)			40AM (48428)								S36 (48225)	S35 (48224)		S40A (48243)		
- SILVER	1, 22	36S (48005)	35S (48006)			40AS (48041)													
▶ MARK V STD. CAL INCL. 240MAG, CENTERFIRE PISTOL, 224 VARMINTMASTER, ULTRA LIGHTWEIGHT		36 (48036)	415 (48431)																
- MATTE		36M (48501)	415M (48432)																
▶ XXII (INFO PER CUSTOMER)		55 (48055)	55 (48055)																
▶ FN MAUSER STYLE ACTIONS		45 (48045)	46 (48046)			402 (48108)							5 (48405)	S45 (48226)	S46 (48227)		S402 (48247)		
- SILVER		45S (48510)	46S (48004)			402S (48430)													
▶ MARK V MAG. CAL EXCEPT 240 MAG.		424 (48446)	35 (48035)			40A (48040)											48976		
- MATTE		424M (48445)	35M (48500)			40AM (48428)													
WESTERN FIELD																			
▶ 712	6												1 (48401)						
▶ 730		25 (48025)	11 (48011)																
▶ 740						63B (48069)				49713									
- SILVER						63BS (48447)													
▶ 750		67 (48067)	65 (48065)																
▶ 770		55 (48055)	20A (48020)																
▶ 772						80 (48080)													
▶ 775 & 780		55 (48055)	55 (48055)											S55 (48231)	S55 (48231)				
WINCHESTER (INCLUDES RANGER MODELS)																			
▶ 03 & 63		19 (48019)	22 (48022)										2 (48402)						
▶ 06, 62, 62A & 90 W/OCTAGON BARREL		32 (48032)	32 (48032)																
▶ 05, 07 & 10		20A (48020)	17 (48017)																
▶ 42													2 (48402)						
▶ 43		18 (48018)	18 (48018)																
▶ 52 (HOLE SPACING DIFFERENT)	6, 9	25 (48025)	57 (48057)										2 (48402)						
▶ 52 (HOLE SPACING SAME)	6, 9	46 (48046)	46 (48046)			402 (48108)							2 (48402)						
- MATTE	6, 9	46M (48502)	46M (48502)			402M (48429)	402M (48429)							S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
- SILVER	6, 9	46S (48004)	46S (48004)			402S (48430)	402S (48430)												
▶ LEVER ACTIONS 53, 55, 64, 65, 66, 71, 1886, 1892, 95 & 1895	4												3A (48403)						
▶ 54 & EARLY MOD. 70 W/SERIAL NO. BELOW #66 350	6	48 (48048)	46 (48046)			402 (48108)							1 (48401)						
▶ 57 & 69		12 (48012)	13 (48013)										2 (48402)						
▶ 60, 67 & 68	6	21 (48021)	21 (48021)																
▶ 61 W/ROUND BARREL		19 (48019)	13 (48013)										2 (48402)						
▶ 61 W/OCTAGON BARREL		25 (48025)	32 (48032)										2 (48402)						
▶ 69A, 72 & 47		12 (48012)	17 (48017)										2 (48402)						
▶ SXR	5	54 (48054)	54 (48054)																
▶ 70 LONG ACTION, (SOME 70 COYOTE SHORT ACTIONS MAY TAKE LA BASE) (HOLE SPACING SAME) 670, 770	9	47 (48047)	46 (48046)			402 (48108)	96 (48096) PRE 2008			99480				1 (48401)					

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC		
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT			
- MATTE		47M (48503)	46M (48502)	48468		402M (48429)								S47 (48228)	S46 (48227)		S402 (48247)		
- SILVER		47S (48003)	46S (48004)			402S (48430)													
▶ 70 LONG ACTION (HOLE SPACING DIFFERENT) & 70 SUPER EXPRESS	9	49A (48049)	46 (48046)			402 (48108)													
▶ 70 SHORT ACTION (1984+)		47 (48047)	46 (48046)			402 (48108)	99 (48099) PRE 2008		99481				1 (48401)						
- MATTE		47M (48503)	46M (48502)	48468		402M (48429)								S47 (48228)	S46 (48227)		S402 (48247)		
- SILVER		47S (48003)	46S (48004)			402S (48430)													
▶ 70 WSM		47 (48047)	46 (48046)			402 (48108)													
- MATTE		47M (48503)	46M (48502)			402M (48429)													
- SILVER		47S (48003)	46S (48004)			402S (48430)													
▶ 70 WSSM		428 (48451)	46 (48046)																
▶ 74		12 (48012)	12 (48012)										2 (48402)						
▶ 75 SPORTER		15 (48015)	30 (48030)										2 (48402)						
▶ 75 TARGET		15 (48015)	16 (48016)										2 (48402)						
▶ 77		15 (48015)	32 (48032)										2 (48402)						
▶ 88 & 100							53 (48053)												48942
▶ 94 PRE '64	4												3D (48415)						
▶ 94 POST '64 & 94 TRAPPER													3B (48412)						
▶ 94 BIG BORE 375													3C (48413)						
▶ 94 ANGLE-EJECT BIG BORE		95 (48095)	403 (48107)																
▶ 94 ANGLE-EJECT (EXCEPT EARLIEST MODELS) (TWO PC BASE PAIR IN MATTE)		95 (48095)	94 (48094)	48475						49716									48944
▶ 94/22	16						TO-10 (48202)												
▶ 520		85 (48085)	85 (48085)																
▶ WILD CAT		12 (48012)	12 (48012)																
▶ 777		71 (48071)	71 (48071)																
▶ 50 SHOTGUN													8 (48408)						
▶ X-150, APEX MUZZLELOADERS (MATTE)		418M (48435)	418M (48435)																
- SILVER		418S (48453)	418S (48453)																
▶ XSR		55 (48055)	55 (48055)																
▶ XPR S/A		652	651	48482					48316	99477									
▶ XPR L/A		652	651	48482					48317	99476									
▶ 1200,1300, 1400 & SXP							416M (48434)	416T (48337)											

To find the correct base or mount to fit your firearm, you need to know the product number. To do this, follow these steps:

- In the firearm column, find the manufacturer and make/model of your firearm (for example, Browning A-Bolt).
- Next, find the 5-digit Product Number (for example: 48955), in the desired Product Category column (for example, Grand Slam Dovetail Bases). NOTE: in some cases, you will find a short reference number (for example, 60A) listed in the chart. Use this reference number to find the appropriate Product Number.
- Product Numbers are found near the appropriate product description sections placed throughout the catalog. If necessary, match the reference numbers to product numbers.

Notes:

- Shimming is probably required for perfect scope alignment.
- Rear base may require modifications for correct fit to military actions.
- Front base may require modification for correct fit.
- Gun will have to be drilled and tapped.
- Front base screws must be shortened by grinding.
- May require bolt and/or safety alteration, otherwise firearm cannot function safely and properly. Consult with a qualified gunsmith.
- BASE DOES NOT FIT ROSSI LARGE FRAME MATCHED PAIR COMBOS (ALL MODELS WITH 20 OR 12 GA SHOTGUN BARRELS).
- Remove rear sight to use.
- The handiest way to pinpoint the correct base for the Win. 52 & Win. 70 Long Action Rifles is to check the spacing of the tapped holes for the rear base and compare it to the hole spacing for the front base. Does it have:

HOLE SPACING THE SAME	HOLE SPACING IS DIFFERENT
Model 52 Use 46+ 46	Model 52 Use 25+ 57
Model 70 Use 47+ 46	Model 70 Use 49A+ 46
- The Weaver type base built into this rifle will accept Weaver rings, but our highest ring (1" See-Thru #49513) still isn't high enough to clear the front sight.
- The Weaver type base built into this firearm will accept any Detachable Top Mount Weaver Ring.
- Rifle has Grooved Receiver for Tip-Off Rings.
- Ruger Mark II Pistols. Weaver only offers a clamp on base with 1" rings (Pistol Mount System #306). Ruger supplies a short or long base and 1" or 30mm rings w/factory drilled and tapped pistols. Contact Ruger for these items.
- Bolt clearance problem may exist and scope will not be centered.
- Base accepts Tip-Off Rings only.
- TO-9, TO-10 & TO-11 bases accept either Detachable Top Mount Rings or Tip-Off Rings. Each have crossbolt slots and 3/8" grooves for both applications.
- Must be factory drilled and tapped.
- One-Piece base attaches to barrel and extends back over receiver.
- Requires the use of Thompson/Center base adapter.
- Requires drilling and tapping 4 holes in receiver and relief space cut in stock to clear base.
- Rear base is positioned on top of receiver and front base is positioned on the barrel. Drilling & tapping required. One-piece base mounts with 2 set screws & newer guns are factory drilled & tapped.
- For shorter tube scopes or red dot scopes use #402 extension front base or one-piece base if available. Extension base allows an extra .689".
- WARNING: NOT FOR USE WITH X-FRAME REVOLVERS. USE ON FIREARMS OTHER THAN THOSE LISTED MAY CAUSE INJURY.
- Top mount base is designed to fit 12GA models only.
- Can be used with Tactical Multi-Slot Base.
- Rear base screws must be shortened by grinding.
- Tactical Extended Multi-Slot Bases have 20 MOA versions as well. See product information section on page 13 for details.
- This mount will not work on Ruger Blackhawk pistols with a flattop receiver.



TOUGH SHOTS. ROUGH PLACES.

9200 Cody
Overland Park, KS 66214

98CH11WR
05/2020

© 2020 Vista Outdoor • Printed in U.S.A.

